



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/047,471	01/14/2002	George Triantopoulos	577-521	1043
7590 06/28/2005				
Salvatore J. Abbruzzese, Esq. HOFFMANN & BARON, LLP 6900 Jericho Turnpike Syosset, NY 11791		EXAMINER PRASAD, CHANDRIKA		
		ART UNIT 2839		PAPER NUMBER

DATE MAILED: 06/28/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

DETAILED ACTION

Reply Brief

1. The reply brief filed 3/31/04 has been received, noted and forwarded to the Board of Appeals.
2. The arguments are not persuasive. Kraft (US 4,214,806) does show the apertures 30, 32 for conductors to be longitudinally coextensive with the longitudinal bore of the central body. The applicant has not provided any specifics as to what is meant by "longitudinally coextensive". The specification (See paragraph 9, lines 9-12) recites "the apertures are spaced along the length of the conductor accommodating body show as to be longitudinally coextensive with the longitudinal bore of the central body". Kraft does so the apertures 30, 32 spaced along the length of the conductor accommodating body and the axes of the apertures 30, 32 are located in a plane which is longitudinally coextensive with the longitudinal bore. The applicant's arguments that "the apertures can not extend along the connector to be coextensive with the terminal ports" are not supported by claim language.

In summary, the features of Claim 1 are anticipated by Kraft.

Contact Information

3. Any correspondence to this action may be mailed to:

**Commissioner for Patents
Post Office Box 1450
Alexandria, VA 22313-1450**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chandrika Prasad at (571) 272-2099.

Art Unit: 2839

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor can be reached at (571) 272-2800 ext 39. The fax number is (703) 872-9306.



Chandrika Prasad
Primary examiner
October 18, 2004